

MATERIAL SAFETY DATA SHEET

Centurion Products, Inc.
50 Van Buren Street
Nashville, TN 37208
Phone: 615-256-6694

24-Hour Contact
Alternative Safety Solutions, Inc.
Hendersonville, TN 37075
615-826-6243

Date Printed: April 08, 2003

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). Where a proprietary ingredient is shown, the identity may be made available as provided in this standard.

All components of this product are included in the EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

Cement Type 1 is guaranteed, when shipped to meet the requirements of ASTM Specifications C-150 and ASHTO Specifications M-85.

1. **PRODUCT NAME:** CENTURION STONE

Chemical Family: Inorganic Manufactured Stone, Inorganic Metal Oxide and Cement Dispersing Agent.

2. HAZARDOUS INGREDIENTS:	<u>CASNO</u>	<u>TLV</u>	<u>PEL</u>	<u>%</u>
Calcium Nitrate	10124-37-5	N/A	N/A	.25
Sodium Thiocyanate	540-72-7	N/A	N/A	.25
Crystalline Silica	14808-60-7	0.1 mg/m3	0.1 mg/m3	.25
Manganite	1317-34-6	5 mg/m3	5 mg/m3	.25

3. **PHYSICAL DATA:**

Boiling Point (°C).....	N/Av	Odor.....	Odorless
Percent Volatile.....	N/Av	Appearance.....	Solid, many colors
Freezing Point.....	N/Av	Specific Gravity.....	3.0 to 3.6 (68°f)
Vapor Pressure.....	N/Av	Solubility in Water.:	Insoluble
Vapor Density.....	Not A Vapor	Evaporation Rate....	N/Av
Ph.....	ca. 6.5	Physical State.....	Dry Stone/Solid

N/Av = Not Available

N/Av = Not Applicable

ca. = Approximate

4. FIRE AND EXPLOSION HAZARD DATA:

Flash Point.....: Non-Flammable Method.....: N/Ap
Auto-Ignition Temperature: N/Ap UEL.....: N/Ap
LEL.....: N/Ap

Extinguishing Media: This material does not give a flash point by conventional test methods. Use extinguishing agent suitable for type of surrounding fire.

Fire Fighting Instructions: Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes and smoke inhalation.

5. STABILITY AND REACTIVITY:

Stability.....: Stable.
Incompatibilities.....: None Known.
Hazardous Polymerization.....: Will not Occur.
Hazardous Decompositions or By Products..: None Known.

6. HEALTH HAZARD DATA:

Note: The dust generated from dry sawing stone may contain silica and may be a potential health problem for the lungs although we are aware of no scientific evidence of a health problem.

Carcinogen: NTP and OSHA do not include this material or its components in their carcinogen listings.

Acute effects of overexposure:

Eye: May cause mild to severe irritation by abrasion with dust or chips.

Skin: Stone dust or chips may cause allergic reactions excessive exposure may result in abrasions.

Inhalation: Stone dust or chips may cause congestion and irritation in the nasal and respiratory passage.

Ingestion: None known.

Subchronic or chronic effects of overexposure:

Excessive exposure to particulate (dust) over an extended period time may result in the development of pulmonary diseases.

7. DISPOSAL, SPILL, OR LEAK PROCEDURE: The only condition to control is dust.

8. SPECIAL PROTECTION INFORMATION:

Note: A wet saw is recommended for sawing stone.

Ventilation: When sawing stone, use adequate ventilation to maintain exposure below the PEL or TL V.

Eye Protection: Use safety glasses with side shields. Face shields should also be used where dry sawing of stone occurs.

Skin Protection: Use gloves and/or protective clothing if abrasion or allergic reactions are experienced.

Respiratory Protection: For concentrations exceeding the PEL or TL V, use NIOSH/MSHA approved respirators.

Foot Protection: Wear steel-toed safety shoes. **9. SPECIAL PRECAUTIONS:**

Care should be used to avoid generating dust or breathing dust, which exceeds the PEL or TLV.

Additional regulatory concerns: Not Known.

As defined in 29 CFR Part 1200 stone is considered an article, a MSDS is not required and the product is exempt from all other requirements of the hazardous communication standard. OSHA requires a MSDS for manufactured stone since it occasionally dry sawed.

The information in this MSDS is believed to be reliable. No guarantee is implied or expressed regarding the accuracy of this information or the use of the product since the condition for use is beyond our control. Nothing contained herein should be construed as a recommendation to use this product in conflict with existing patents covering any material or its use.

Prepared by: Mr. Tremayne Anderson, C.E., Of Alternative Safety Solutions, Inc.